

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and (block or (sub adj2 circuit) or subcircuit or cell) and (schmidt or comparator) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 08:53
L3	8	layout same ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 same ((standar adj cell) or macro)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 08:55
L4	31	layout same ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 same ((standard adj cell) or macro)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 08:56
L5	11	layout same ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 same ((standard adj cell) or macro) same i/o	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 09:12
L6	1	layout same ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 same ((standard adj cell) or macro) same i/o same (function or performance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 08:57
L7	44	layout same ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 same (i/o near3 (circuit\$2 or cell or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 09:13
L8	9	layout same ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) same metal\$3 same (i/o near3 (circuit\$2 or cell or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 11:52
L10	2	(schmidt adj trigger) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 10:17
L11	12	layout same (i/o near3 (circuit\$2 or cell or block or device)) same (\$2program\$5 or \$2configur\$5) same metal\$3 same (connect\$4 or interconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 11:54

EAST Search History

L12	30	layout same ((i/o or input/output near3 (circuit\$2 or cell or block or device)) same (\$2program\$5 or \$2configur\$5) same metal\$3 same (connect\$4 or interconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:35
L13	136	layout same ((i/o or input/output interconnect\$3) near3 (circuit\$2 or cell or block or device)) same (\$2program\$5 or \$2configur\$5) same metal\$3 same (connect\$4 or interconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:07
L14	136	layout same ((i/o or input/output or interconnect\$3) near3 (circuit\$2 or cell or block or device)) same (\$2program\$5 or \$2configur\$5) same metal\$3 same (connect\$4 or interconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:07
L16	145	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) with (\$2program\$5 or \$2configur\$5) same metal\$3 same (connect\$4 or interconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:36
L17	70	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) near3 (\$2program\$5 or \$2configur\$5) same metal\$3 same (connect\$4 or interconnect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:37
L18	2	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) near3 (\$2program\$5 or \$2configur\$5) same metal\$3 same (connect\$4 or interconnect\$4) same layout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:41
L19	19	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) near3 (\$2program\$5 or \$2configur\$5) same (connect\$4 or interconnect\$4) same layout and metal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:39
L20	5	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) near3 (\$2program\$5 or \$2configur\$5) same (schmidt adj trigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:51
L21	5	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) with (\$2program\$5 or \$2configur\$5) same (schmidt adj trigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:52

EAST Search History

L22	180	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) with (\$2program\$5 or \$2configur\$5) same ((schmidt adj trigger) or comparator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:52
L23	44	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) near3 (\$2program\$5 or \$2configur\$5) with (schmidt or comparator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:45
L24	5	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) near3 (\$2program\$5 or \$2configur\$5) with schmidt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:53
L25	5	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) near3 (\$2program\$5 or \$2configur\$5) with schmidt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 17:11
L26	6	((i/o or input/output) near3 (circuit\$2 or cell or block or device)) near3 schmidt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:47
S1	986	(block or (sub adj2 circuit) or subcircuit or cell) same layout and ((connect\$3 or interconnect\$3) with (program\$5 or config\$5)) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:19
S2	1	(block or (sub adj2 circuit) or subcircuit or cell) same layout and ((connect\$3 or interconnect\$3) with (program\$5 or config\$5)) and metall and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:23
S3	2	"20050262461"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:20
S4	3	(block or (sub adj2 circuit) or subcircuit or cell) same layout and ((connect\$3 or interconnect\$3) same (program\$5 or config\$5)) and metall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:25
S5	3	(block or (sub adj2 circuit) or subcircuit or cell) same layout and ((connect\$3 or interconnect\$3 or i/o) same (program\$5 or config\$5)) and metall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:26

EAST Search History

S6	9	(block or (sub adj2 circuit) or subcircuit or cell) and layout and ((connect\$3 or interconnect\$3 or i/o) same (program\$5 or config\$5)) and metall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:39
S7	10	layout and ((connect\$3 or interconnect\$3 or i/o) same (program\$5 or config\$5)) and metall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:41
S8	72593	layout and ((connect\$3 or interconnect\$3 or i/o) same (program\$5 or config\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:42
S9	19827	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or config\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:43
S10	999	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or config\$5)) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:43
S11	446	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or config\$5)) and metal\$3 and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:43
S12	1	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or config\$5)) and metall and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:44
S13	159	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or config\$5)) and metal\$3 and i/o and layer and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:49
S14	157	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or config\$5)) and metal\$3 and i/o and layer and (block or (sub adj2 circuit) or subcircuit or cell) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:14

EAST Search History

S15	1	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and (block or (sub adj2 circuit) or subcircuit or cell) and schmidt and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:22
S16	115	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and (block or (sub adj2 circuit) or subcircuit or cell) and (schmidt ot comparator or compar\$4) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:22
S17	115	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and (block or (sub adj2 circuit) or subcircuit or cell) and (schmidt or comparator or compar\$4) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:23
S18	115	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and (block or (sub adj2 circuit) or subcircuit or cell) and (schmidt or comparator or compar\$4) and (function or performance) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:24
S19	1	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and (block or (sub adj2 circuit) or subcircuit or cell) and ((schmidt or comparator or compar\$4) with trigger) and (function or performance) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:25
S20	57	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and (block or (sub adj2 circuit) or subcircuit or cell) and ((schmidt or comparator or compar\$4) with (trigger or circuit or device)) and (function or performance) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:40
S21	1	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and schmidt and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:38

EAST Search History

S22	3	layout and ((connect\$3 or interconnect\$3 or i/o) same (program\$5 or configur\$5)) and metal\$3 and i/o and layer and schmidt and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:37
S23	6	layout and (program\$5 or configur\$5) and metal\$3 and i/o and layer and schmidt and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:38
S24	142	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and schmidt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:38
S25	493	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and ((trigger or circuit or device) near3 (schmidt or compar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:39
S26	674	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and ((trigger or circuit or device or function or perform\$4) near3 (schmidt or compar\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:39
S27	75	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and (block or (sub adj2 circuit) or subcircuit or cell) and ((schmidt or compar\$4) with (trigger or circuit or device or function or perform\$4)) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 15:41
S28	46	layout and ((connect\$3 or interconnect\$3 or i/o) near3 (program\$5 or configur\$5)) and metal\$3 and i/o and layer and (block or (sub adj2 circuit) or subcircuit or cell) and ((schmidt or compar\$4) near3 (trigger or circuit or device or function or perform\$4)) and "716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 07:42